
L Number	Hits	Search Text	DB	Time stamp
_	2	("5613117").PN.	USPAT; EPO; JPO; DERWENT;	2002/11/06 12:17
_	170	analyz\$6 near5 interpret\$3 and (eliminat\$3 or replac\$3 or remov\$ or delet\$3) same (sequence\$1 or code or block or template or instruction\$1) and	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/06 12:33
_	689	translat\$3 analyz\$6 same interpret\$3 and (eliminat\$3 or replac\$3 or remov\$ or delet\$3) same (sequence\$1 or code or block or template	USPAT; EPO; JPO; DERWENT;	2002/11/06 12:29
_	170	or instruction\$1) and translat\$3 (analyz\$6 near5 interpret\$3 and (eliminat\$3 or replac\$3 or remov\$ or delet\$3) same (sequence\$1 or code or block or template or instruction\$1) and	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/06 12:31
	17	translat\$3) and (analyz\$6 same interpret\$3 and (eliminat\$3 or replac\$3 or remov\$ or delet\$3) same (sequence\$1 or code or block or template or instruction\$1) and translat\$3) ((analyz\$6 near5 interpret\$3 and (eliminat\$3 or replac\$3 or remov\$ or delet\$3) same (sequence\$1 or code or block or template or instruction\$1) and translat\$3) and (analyz\$6 same interpret\$3 and (eliminat\$3 or replac\$3 or remov\$ or delet\$3) same (sequence\$1 or code or block or template or instruction\$1) and translat\$3) and (eliminat\$3 or replac\$3 or remov\$ or delet\$3) same (sequence\$1 or code or block or template or instruction\$1) and translat\$3)) and 717/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/06 12:31
	882	templat\$1 near7 (append\$3 or modif\$3 or edit\$3 or chang\$3) and transla\$3	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/06 12:36
-	0	(templat\$1 near7 (append\$3 or modif\$3 or edit\$3 or chang\$3) and transla\$3) and (analyz\$6 same interpret\$3 and (eliminat\$3 or replac\$3 or remov\$ or delet\$3) same (sequence\$1 or code or block or template or instruction\$1) and translat\$3) and 717/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/06 12:37
-	14	(templat\$1 near7 (append\$3 or modif\$3 or edit\$3 or chang\$3) and transla\$3) and (analyz\$6 same interpret\$3 and (eliminat\$3 or replac\$3 or remov\$ or delet\$3) same (sequence\$1 or code or block or template or instruction\$1) and translat\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/06 12:36
_	2803	templat\$2 same (append\$3 or modif\$3 or edit\$3 or chang\$3) and transla\$3	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/06 12:39
-	83	<pre>(templat\$2 same (append\$3 or modif\$3 or edit\$3 or chang\$3) and transla\$3) and (analyz\$6 same interpret\$3 and (eliminat\$3 or replac\$3 or remov\$ or delet\$3) same (sequence\$1 or code or block or template or instruction\$1) and translat\$3)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/06 12:40
-	6	((templat\$2 same (append\$3 or modif\$3 or edit\$3 or chang\$3) and transla\$3) and (analyz\$6 same interpret\$3 and (eliminat\$3 or replac\$3 or remov\$ or delet\$3) same (sequence\$1 or code or block or template or instruction\$1) and translat\$3)) and 717/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/06 12:40



load on the server. It also does not introduce significant performance

overhead during the execution of applets. The scanner provides configurable

security policy functionality, and can be deployed as a client-side solution

with appropriate modifications.

Ð

Q

Q

.

Ŋ

2

W

ũ

D

B

ũ

4

4

23 Detailed Description Text - DETX (29):

The digital signer component 58 digitally signs the applet (now JAR"), with a

digital signature unique to the particular scanner 26, for authentication in

the local domain. The applet JAR" is then transferred to the client machine 14

for execution. Thus the only signature that a client needs to recognize is the

digital signature of the signer component 58 in the scanner 26.

pre-verification simplifies system administration and reduces

unsophisticated users who might otherwise accidentally accept applets with

unauthorized signatures. O Details 🥦 Text 🔡 Image 🕮 HTML

	U	1	Document	Current	Page	Title -
1	r.	*	US 6272641 B1	713/201	8	Computer network malici
2	r	r	US 6092202 A	713/201	18	Method and system for se transactions in a compute
3	г	С	US 6009177 A	713/191	53	Enhanced cryptographic and method with key esci
4	n	r:	US 5983348 A	713/200	9	Computer network malici
5	Þ	Г.	US 5903882 A	705/44	42	Reliance server for electr
7			Minage M HTM	747/275		The section assets

[11] Patent Number:

[45] Date of Patent: Nov. 9, 1999


[54] COMPUTER NETWORK MALICIOUS CODE SCANNER

Priesry Eromines—Norman Michael Wright Anorsey, Agons, or Firm—Expertes, Mortill Mi Frieldin & Priel LLP, Norman R. Klivans

ABSTRACT [57]

A network assumes for security checking of application programs (e.g. Java applies or Amive X controls) received over limitatives or as blantan has both state (pre-un time), and dynamic (rus time) assacing. Statio searcing at the STIP proxy severa identifies asseptiones instructions and restructions them e.g. a gas-and-peer filter instruction sections or otherwise. The intransmental applies is then transferred to the observatives becomes or otherwise. The intransmental fast-curities are thereby machinered for the observations are thereby machinered for security policy violations, and searcher of an instruction is graveaud in the owner of such a violation.

24 Claims, 2 Drawing Sheets



Full

United States Patent 198

[75] Inventor: Shrang Jl, Santa Clara, Calif.

[21] Apri No.: 08/926,619

[22] Filed: Sep. 10, 1997


[73] Assignes: Trend Micro Incorporated, Caperlino. Calif.

References Cited

U.S. PATENT EOCUMENTS

O Details P. Text 12 image 12 HTML

| ②inbox - Microsoft Duf | ☑ United Strees Paterr | 译PALM Resource Cen. * [EAST | Nord wep 1] | 「EAST Browser - L. 《自分日子》』《配金》 《 10:15 AM



6.092,202

Jul. 18, 2000

Detailed Description Text - DETX (58):

ð

•

Q

a

Ø

V

۵

Ĥ

44

M

(

D

3

B

a

4 ٥

2

Pre-verification of digital certificates of transacting parties

verification processing time especially in a high volume, high

electronic transactions environment. Pre-verified digital certificates of

transacting parties can be stored for future accelerated use (without having to

repeat the verification process). Instead of a certificate cache

conventional system which can be compromised by adding a false certificate, a

trusted certificate cache is provided in the system in accordance with the

present invention. The trusted certificate cache is typically resident in a

RAM. The trusted certificate cache in the secure computing environment holds

the pre-verified digital certificates which, by reason of the interface, cannot

be compromised. Once a digital certificate has been verified, an API command

can be used to store the certificate in the trusted certificate

O Details 🥦 Text 🐉 Image 🚰 HTML KMC

#Blan Ø 8 → June → Tyde9ie

	U 1	Document	Current	Page	Title -
1	1: 1:	US 6321333 B1	713/156	13	Efficient digital certificat
2	n n	US 6092202	713/201	18	Method and system for set
3	E C	US 6009177	713/191	53	Enhanced cryptographic s
4	E [US 5872849	713/175	52	Enhanced cryptographic s
5	вс	US 5857022 A	713/173	53	Enhanced cryptographic s
?j	(Ba -	FR Image CO HTM	200/200	40	

[11] Patent Number:

United States Patent [19]

Vedi et al.

[54] METHOD AND SYSTEM FOR SECURE TRANSACTIONS IN A COMPUTER SYSTEM

[75] Itweesen: Leonard Setti Vell, Campbell; Gary Paul Ward, Smayvele; Bichard Alan Watsa. Los Altos Hills; Eric Alan Murray, Los Guos, all et Calif.

[73] Assignee: N°Able Tacknalogies, Inc., Caperino, Calif.

[21] Appl. No.: 59/084,078

[22] Filed: May 22, 1993

lai. Cl. H04L 800, 506F 11-00 U.S. Cl. 713-201; 713-253; 763-64 Field of Search 713-200, 201.

713-700, 201, 713-700, 201, 713-700, 151, 152, 153, 154; 708-135; 705-44, 64; 360/4; 707-220, 227, 228

:351 References Cited

U.S. PATENT DOCUMENTS					
4,319,070	3/1762	Best			
4,777,528	1/1789	Dykes			
1,436,624		Tilms 353			
2,745,574		38.02			
5,813,371		Fizier			
5 5 9A 4E0		McKahay 713(25)			


Primary Examiner—Robert W. Berrsolini, Jr. Assistant Examiner—Ceristopher Alta Revait Assamer, Agent, or Fires—Bewyer Law Group LLP

(45) Date of Patent:

ABSTRACT

Another and spaces for sector treasceiors. The method and spaces or sector treasceiors. The method and spaces or suppress a sector prospector and an interface for intrinsic for the sectority despendency to a bus computer space. The method and spaces material sector processing in performed incelly in the security corporation and non-sector treasceion processing in performed incelly in the security corporation and non-sector treasceion processing in performed incelly in the security corporation and non-sector treascein processing in performed incelled as second imades compiled to the security corporated for monitoring security despendence in the second imades compiled to the security corporated for monitoring metaltic sector treascent incelled as second imades compiled to the security corporated for monitoring security design and a security corporated from the security corporated from the security corporated from the security corporated from the sector in the sector of the security corporated from the security corporated from the control of the sector in the sector

36 Claims, 6 Drawing Shorts



O Datails P. Text to image the HTML Full